Vasil Atanasov Popov

January 14, 1942 – May 31, 1990

CURRICULUM VITA

Graduate Education: Sofia University, Bulgaria
Doctor of Sciences Degree in Mathematics, 1977
Ph.D. in Mathematics, 1971; Thesis Advisor: Blagovest Sendov

Undergraduate Education: Sofia University, Bulgaria
B.S. 1965 in Mathematics

Professional Employment:

1984–1990	Corresponding Member of the Bulgarian Academy of Sciences (BAS)
1981–1984	Professor at the Mathematical Institute of the BAS
1974–1981	Senior Scientist at the Mathematical Institute of the BAS
1965–1974	Scientist at the Mathematical Institute of the BAS

Visiting Positions:

Fall – Winter 1970/1971	Steklov Institute, Moscow
Spring 1983	University of South Carolina, Columbia, South Carolina
Fall 1987 – Fall 1988	University of South Carolina, Columbia, South Carolina
Fall 1989 – Spring 1990	Temple University, Philadelphia, Pennsylvania

Conference Organization:
International Conferences on Constructive Theory of Functions held in Blagoevgrad 1979, Varna 1981, Varna 1984, Varna 1987.

Doctoral Students (Ph.D.):

1. Andrey Andreev
2. Vladimir Hristov
3. Pencho Petrushev
4. Georgi Totkov
5. Kamen Ivanov
6. Petar Binev
7. Emil Moskona
8. Dimitar Dryanov
9. Ognyan Trifonov
10. Lyudmil Aleksandrov
11. Lyubomir Dechevski

$\Diamond$

Our primary goal in this preamble is to highlight the best of Vasil Popov's mathematical achievements and ideas. V. Popov showed his extraordinary talent for mathematics in his early papers in the (typically Bulgarian) area of approximation in the Hausdorff metric. His results in this area are very well presented in the monograph of his advisor Bl. Sendov, "Hausdorff Approximation".

Vasil's mathematical intuition culminated in his results on *rational and nonlinear spline approximation.* He began this research in the late sixties, but continued to work in this area during his entire life and obtained remarkable results. V. Popov and G. Freud were the first to clearly understand that, in contrast to linear approximation schemes, nonlinear approximation requires different spaces and approaches. They showed in [9, 20] that

$$E_n^r(f) \le c_r n^{-r-1} V f^{(r)}, \quad r \ge 0,$$

where $E_n^r(f)$ is the error of uniform approximation to f from splines of degree r with $n+1$ free knots in $[0,1]$ and $Vf^{(r)} := V_0^1 f^{(r)}$ is the variation of $f^{(r)}$. Though not too hard to prove, this result has been a benchmark in nonlinear approximation and, in particular, in free knot spline and rational approximation. V. Popov refined this result and developed further the theory of nonlinear spline approximation in [19, 26, 36, 45, 49, 55].

The problem for obtaining a similar estimate for rational approximation has been attacked by many mathematicians, among them A. Bulanov, G. Freud, A. Gonchar, J. Szabados, P. Szusz, P. Turan. In a series of articles [39, 40, 43, 52, 56, 65] V. Popov developed an ingenious method for rational approximation which enabled him not only to improve the existing results but also to completely solve the problem. In [56], he proved that:

$$R_n(f) \le c_r n^{-r-1} V f^{(r)}, \quad r \ge 1, \tag{0.1}$$

where $R_n(f)$ is the error of the uniform approximation to f in $[0,1]$ from rational functions of degree at most n. In [56], V. Popov also settled Newman's conjecture for rational approximation of Lipschitz functions:

$$\textit{If} \quad f \in \text{Lip } 1 \quad \textit{on} \quad [0,1], \quad \textit{then} \quad R_n(f) = o(n^{-1}).$$

Impressed by his remarkable solution, Donald Newman referred to V. Popov as "a brilliant young Bulgarian mathematician".

It is interesting to briefly describe the development of Popov's method for rational approximation. Following Vasil's notation, let

$$\Phi_n^r := \sup_{V_0^1 f^{(r)} \le 1} R_n(f).$$

Employing the famous result of Newman for rational approximation of $|x|$, V. Popov [39] showed that if

$$\Phi_n^r \le \Psi(n) n^{-r-1},\ \Psi(n) \ge 1, \quad \text{then} \quad \Phi_n^r \le c_1 \Psi(\ln^2 n) n^{-r-1}.$$

Iterating this result, starting with Freud's estimate $\Phi_n^r \le c(\ln^2 n) n^{-r-1}$, he was abled to prove that if $V_0^1 f^{(r)} \le 1$, then

$$R_n(f) \le c_{r,k} \frac{\overbrace{\ln \dots \ln}^{k} n}{n^{r+1}}$$

for an arbitrary $k \ge 1$, but with constant $c_{r,k} \to \infty$ as $k \to \infty$.

In [56], V. Popov further refined his method and managed to remove the logarithmic factor above. Let now

$$\Phi_{n,A}^r := \sup_{\substack{V_0^1 f^{(r)} \le 1 \\ f^{(s)}(0)=0,\, s=0,\dots,r}} \inf_{\substack{q \in R_n \\ \|q\|_{C(-\infty,+\infty)} \le A}} \|f - q\|_{C[0,1]}.$$

Using again Newman's result, V. Popov proved that if for $n \ge n_0$

$$\Phi_{k,k^{2r+4}}^r \le \phi(k) k^{-r-1} \quad \text{with } \phi(k) \ge 1 \text{ for } k = c \ln^3 n, \text{ then}$$

$$\Phi_{n,n^{2r+4}}^r \le \phi(k) n^{-r-1} \left(1 + \frac{3}{\ln n}\right)^{r+1},$$

and estimate (1) follows by iteration.

Popov's method has become a basic tool for proving upper bound estimates for rational approximation. Thus, in [60], the exact rate $O(n^{-1})$ of the uniform rational approximation of the class of all uniformly bounded convex and continuous functions is obtained and "small o" effect is established. Jackson type estimates for rational approximation are proved [71]. In [37, 55], V. Popov reveals the strong relations between rational and free knot spline approximation. An interesting method was developed by V. Popov (along with D. Newman and B. Gao) in [102, 103] for rational approximation of convex functions from convex rational functions.

Many of the above mentioned results found their natural place in V. Popov's monograph (with P. Petrushev) "Rational Approximation of Real Functions" [97].

In going further, V. Popov (with R. DeVore and B. Jawerth) [92, 94, 96, 98, 100, 101] proved some fundamental results in nonlinear approximation by box

splines and wavelets which substantially influenced the further developments in the theory of spline and wavelet approximation.

Another circle of V. Popov's developments was connected to error estimates of approximation processes which involve function values at certain points but intrinsically employ the integral metric. Examples of such processes are:

- quadrature formulae;
- onesided approximations in integral metrics;
- approximations by discrete operators in integral metrics;
- numerical methods for differential equations.

In such cases the classical integral and uniform moduli ω_k are not suitable enough as measures of smoothness. In order to provide the correct rates of convergence one needs new characteristics, that should satisfy simultaneously a number of conditions, such as they need to be:

- smaller than the uniform moduli because the approximation error is measured in integral metrics;
- bigger than the integral moduli because of the discrete nature of the approximation process;
- close to the integral moduli for $k \geq 2$ and smooth functions.

In [58], V. Popov introduced *the averaged moduli of smoothness* τ_k, which for the L_p norm, $1 \leq p < \infty$, and an integer k are defined by

$$\tau_k(f,\delta)_p = \|\omega_k(f,\cdot,\delta)\|_p,$$

where

$$\omega_k(f,x,\delta) = \sup\left\{|\Delta_h^k f(t)| : t, t+kh \in \left[x - \frac{k\delta}{2}, x + \frac{k\delta}{2}\right]\right\}.$$

Similar type of characteristics for $k = 1$ had earlier appeared in papers of Bl. Sendov, P. P. Korovkin, E. P. Dolzhenko and E. A. Sevastyanov. The complete theory of these moduli has been developed mainly by the Bulgarian group in approximation theory and is the topic of the monograph of V. Popov and Bl. Sendov "Averaged Moduli of Smoothness" [78].

One of the main applications of the averaged moduli of smoothness is in the theory of *one-sided approximation* by trigonometric polynomials or splines

with fixed knots [58, 59, 62, 64, 66, 69]. These results are similar to the corresponding direct and inverse theorems due to Jackson, Zygmund, Timan and Stechkin in the unconstrained case and the role of the usual moduli of smoothness ω_k is played by τ_k. For example, it is proved in [62, 58] that

$$\widetilde{E}_n(f)_p \le c_k \tau_k(f, n^{-1})_p \quad \textit{and} \quad \tau_k(f, n^{-1})_p \le c_k n^{-k} \sum_{s=0}^{n} (s+1)^{k-1} \widetilde{E}_s(f)_p,$$

where $\widetilde{E}_n(f)_p$ denotes the best one-sided L_p-approximation of a 2π-periodic function f by trigonometric polynomials of degree n.

Using τ-moduli V. Popov obtained a quantitative theorem of Korovkin type [76], direct theorems for approximation in integral metrics and the saturation classes for a number of discrete operators [70, 85]. A variety of applications of the averaged moduli to different areas of the numerical analysis, such as quadrature formulae and numerical methods for differential equations, are given in [64, 68, 75, 83, 87, 99].

The function spaces generated by the averaged moduli are systematically studied in [79, 81, 82]. In order to investigate their interpolation properties and to obtain embedding theorems for Sobolev and Besov-type spaces and equivalent norms for them, V. Popov introduced the following *one-sided K-functionals*

$$\widetilde{K}_k(f, t)_p = \inf \left\{ \|\varphi - \psi\|_p + t\|\varphi^{(k)}\|_p + t\|\psi^{(k)}\|_p : \varphi, \psi \in W_p^k, \varphi \le f \le \psi \right\}.$$

He showed that the averaged moduli of smoothness are equivalent to the one-sided K-functionals [84]

$$c_k^{-1} \tau_k(f, t)_p \le \widetilde{K}_k(f, t^k)_p \le c_k \tau_k(f, t)_p.$$

Some of the above mentioned results are generalized in the multidimensional case [77, 80, 91, 95].

With his excellent results and strong personality Vasil Popov deeply influenced the Bulgarian school of Approximation Theory and his grateful students and followers (among them the two of us writing these lines).

Kamen Ivanov and Pencho Petrushev

BIBLIOGRAPHY
of the research publications of Vasil Atanasov Popov

1966

[1] On some Properties of the Hausdorff Metric (with Bl. Sendov). *Mathematica*, (Cluj), **8**, (31) (1966) 163–172 (Russian).

[2] Approximation de fonctions d'un grand nombre de variables independantes au moyen de polynomes dans la metrique de Hausdorff. *C. R. Acad. bulg. Sci.*, **19** (1966) 561–564.

1967

[3] On the Accuracy of the Iterative Method for Static Solving of Tunel Constructions (with St. Hristov). *Tehnicheska Misal*, **4** (1967) 45–51 (Bulgarian).

[4] On the Convergence of Linear Operators in Hausdorff Metric (with A. Andreev). *Annuaire de l'Universite de Sofia, Fac. des Mathematiques*, **62** (1967/1968) 215–223 (Bulgarian).

1968

[5] Approximation of Convex Sets. *C. R. Acad. bulg. Sci.*, **12** (1968) 993–995 (Russian).

[6] Approximation of Functions of Several Variables by Algebraic Polynomials in the Metric of Hausdorff (with Bl. Sendov). *Annuaire de l'Universite de Sofia, Fac. des Mathematiques*, **63** (1968/1969) 61–76 (Russian).

[7] On the Widths of the Space of Continuous Functions in the Metric of Hausdorff (with T. Boyanov). *Annuaire de l'Universite de Sofia, Fac. des Mathematiques*, **63** (1968/1969) 167–185 (Bulgarian).

1969

[8] On the Convergence of the Derivatives of Linear Positive Operators (with Bl. Sendov). *C. R. Acad. bulg. Sci.*, **22** (1969) 507–509 (Russian).

[9] On Approximation by Spline Functions (with G. Freud). Proc. Conf. "Constr. Theory of Functions" Budapest'69, (1969) 163–172.

[10] A Method to Determine Dosage Distribution in Intratissue Gamma-Therapy by Electronic Computer (with P. Penchev). Scientific Papers, The Cancer Research Institute, Sofia, **13** (1969) 109–116 (Bulgarian).

[11] Approximation of Functions with respect to a Δ-metric of Hausdorff Type (with A. Andreev). *Annuaire de l'Universite de Sofia, Fac. des Mathematiques*, **64** (1969/1970) 127–142 (Bulgarian).

[12] Some Remarks on the Derivatives of Linear Positive Operators (with V. Veselinov). *Annuaire de l'Universite de Sofia, Fac. des Mathematiques*, **64** (1969/1970) 143–152 (Russian).

[13] On the Best Approximation by means of Algebraic and Trigonometric Polynomials in the Hausdorff Metric (with V. Veselinov). *Bulletin de l'Institut de Mathematiques, Acad. Bulg. des Sci.*, **10** (1969) 213–221 (Bulgarian).

1970

[14] Approximation of Convex Sets. *Bulletin de l'Institut de Mathematiques, Acad. Bulg. des Sci.*, **11** (1970) 67–80 (Bulgarian).

[15] Approximation of Convex Function by Polygons. *Bulletin de l'Institut de Mathematiques, Acad. Bulg. des Sci.*, **11** (1970) 117–126 (Bulgarian).

[16] Convergence of the Derivatives of Linear Positive Operators (with Bl. Sendov). *Bulletin de l'Institut de Mathematiques, Acad. Bulg. des Sci.*, **11** (1970) 107–115 (Bulgarian).

[17] On the Approximation by means of Spline Functions (with Bl. Sendov). *C. R. Acad. bulg. Sci.*, **23** (1970) 755–758 (Russian).

[18] Approximation in the Plane of Curves by Polynomial Curves (with Bl. Sendov). *C. R. Acad. bulg. Sci.*, **23** (1970) 639–642 (Russian).

[19] On the Classes Characterized by the Best Spline Approximations (with Bl. Sendov). *Mat. Zametki*, **8** (1970) 137–148 (Russian).

[20] Some Questions Connected with Spline and Polynomial Approximations (with G. Freud). *Studia Sci. Math. Hung.*, **5** (1970) 161–171 (Russian).

[21] A Generalization of the Estimates for the Approximation of Functions by Linear Positive Operators (with Bl. Sendov). *Annuaire de l'Universite de Sofia, Fac. des Mathematiques*, **65** (1970/1971) 191–200 (Russian).

[22] On the Converse Problem of the Theory of Approximation in the Hausdorff's Metric. *Annuaire de l'Universite de Sofia, Fac. des Mathematiques*, **65** (1970/1971) 201–204 (Russian).

[23] Approximation of Continuous Functions by Rational Functions in a Δ-Metric of Hausdorff Type (with A. Andreev). *Annuaire de l'Universite de Sofia, Fac. des Mathematiques*, **65** (1970/1971) 205–209 (Bulgarian).

[24] Approximation of Convex Functions by Polygons. *C. R. Acad. bulg. Sci.*, **23** (1970) 643–645 (Russian).

1971

[25] Some Problems Connected with the Convergence in Hausdorff Metric. *Bulletin de l'Institut de Mathematiques*, **12** (1971) 87–96 (Bulgarian).

[26] An Estimate from below in the Spline Approximation Theory (with G. Freud). *Studia Sci. Math. Hung.*, **6** (1971) 387–391 (Russian).

[27] On the Approximation of Abstract Functions in Hausdorff Metric (with S. Troyanski). *Mathematica Balkanica*, **1** (1971) 190–194 (Russian).

[28] Local Approximations in Banach Spaces. *Annuaire de l'Universite de Sofia, Fac. des Mathematiques*, **66** (1971/1972) 321–330 (Russian).

[29] Convex Approximations. Ph.D. Theses, Institute of Mathematics, Bulgarian Academy of Sciences, Sofia, 1971 (Bulgarian).

1972

[30] The Exact Asymptotic Behavior of the Best Approximation by Algebraic and Trigonometric Polynomials in the Hausdorff Metric (with Bl. Sendov). Math. USSR Sbornik, **89(131)** (1972) 138–147 (Russian) (English translation – **18** (1972) 139–149).

[31] Parametric Approximation of Convex Curves by Polynomial Curves. *Annuaire de l'Universite de Sofia, Fac. des Mathematiques*, **67** (1972/1973) 333–341 (Russian).

[32] On the Approximation of Functions by Splines and Rational Functions (with Bl. Sendov). Constructive Function Theory (Proc. Intern. Conf., Varna, 1970) Publ. House Bulg. Acad. Sci., Sofia, 1972, 89–94 (Russian).

[33] Analog of the Nikolskii's Theorem for Approximation of Functions by Algebraic Polynomials in the Hausdorff Metric (with Bl. Sendov). Constructive Function Theory (Proc. Intern. Conf., Varna, 1970) Publ. House Bulg. Acad. Sci., Sofia, 1972, 95–105 (Russian).

1973

[34] An Algorithm and a Program for Calculating of Tunel Coverings using the Theory of Elasticity (with St. Hristov and S. Borshukova). Tehnicheska Misal, **10** (1973) 69–76 (Bulgarian).

[35] On a Generalization of Jackson's Theorem for Best Approximation (with Bl. Sendov). *Journal of Approximation Theory*, **9** (1973) 102–111.

[36] Direct and Converse Theorem for Spline Approximation with Free Knots. *C. R. Acad. bulg. Sci.*, **26** (1973) 1297–1299.

1974

[37] On the Connection between Rational and Spline Approximation. *C. R. Acad. bulg. Sci.*, **27** (1974) 623–626.

[38] Approximation of Monotone Functions by Monotone Polynomials in Hausdorff Metric (with Bl. Sendov). *Revue d'analyse numerique et de la theorie de l'approximation*, **3** (1974) 79–88.

[39] On the Rational Approximation of Functions of the Class V_r. *Acta Math. Acad. Sci. Hung.*, **25** (1974) 1–2, 61–65.

[40] On a General Localization Theorem and Some Applications in the Theory of Rational Approximation (with J. Szabados). *Acta Math. Acad. Sci. Hung.*, **25** (1974) 1–2, 165–170.

[41] One Generalization of the Popoviciu's Theorem for Bernstein Polynomials (with V. Veselinov). Mathematica (Cluj) **16(39)** (1974) 159–172.

[42] Local Approximation of Functions by means of Linear Operators. Mathematics and Mathematical Education (Second Spring Conference of the Union of the Bulgarian Mathematicians, Vidin, 1973) Publ. House Bulg. Acad. Sci., 1974, 183–191 (Bulgarian).

1975

[43] A Remark on the Rational Approximation of Functions (with J. Szabados). *C. R. Acad. bulg. Sci.*, **28** (1975) 1303–1306.

[44] Local Approximation of Functions. *Mat. Zametki*, **17** (1975) 369–382 (Russian).

[45] On Approximation of Absolutely Continuous Functions by Splines. *C. R. Acad. bulg. Sci.*, **28** (1975) 1299–1301 (Russian).

[46] On Approximation of Functions of Bounded Variation by Rational Functions. *Serdica*, **1** (1975) 96–103 (Russian).

[47] An Analogue of Jackson Theorem of G-Distance in the Space of Continuous Functions (with G. Iliev). *C. R. Acad. bulg. Sci.*, **28** (1975) 1159–1162.

[48] Approximation of Convex Functions by Algebraic Polynomials in Hausdorff Metric. *Serdica*, **1** (1975) 386–398.

[49] Direct and Converse Theorems for Spline Approximation with Free Knots, *Serdica*, **1** (1975) 218–224.

1976

[50] Direct and Converse Theorems in Approximation Theory. Doctor of the Mathematical Sciences Dissertation, Institute of Mathematics, Bulgarian Academy of Sciences, Sofia, 1976 (Bulgarian).

[51] Approximation of Locally Monotone Functions by Linear Positive Operators in L and its Application for Error Estimation of the Collocation Method (with G. Gasanov). *Serdica*, **2** (1976) 75–81 (Russian).

[52] Rational Uniform Approximation of Class V_r and its Applications. *C. R. Acad. bulg. Sci.*, **29** (1976) 791–794.

[53] Numerical Methods (with Bl. Sendov). Vol. I, Nauka i Izkustvo, Sofia, 1976, (Bulgarian).

[54] Hausdorff Derivatives in F_Δ (with Bl. Sendov, B. Penkov, Sv. Markov). *Serdica*, **2** (1976) 131–137.

[55] Direct and Converse Theorems for Spline Approximation with Free Knots in L_p. *Mathematica – Revue Anal. Numer. Theorie Approx.*, **5** (1976) 1, 69–78.

1977

[56] Uniform Rational Approximation of the Class V_r and its Applications. *Acta Math. Acad. Sci. Hung.*, **29** (1977) 1–2, 119–129.

[57] Parametric Approximation of Piecewise Analytic Functions (with G. Iliev). *Pliska*, **1** (1977) 72–78.

[58] Converse Theorem for Onesided Trigonometrical Approximations. *C. R. Acad. bulg. Sci.*, **30** (1977) 1529–1532.

[59] Jackson's Type Theorems for Onesided Polynomial and Spline Approximation (with A. Andreev, Bl. Sendov). *C. R. Acad. bulg. Sci.*, **30** (1977) 1533–1536.

[60] The Exact Order of the Best Approximation to Convex Functions by Rational Functions (with P. Petrushev). Math. USSR Sbornik, **103(145)** (1977) 285–292 (Russian) (English translation – **32** (1977) 245–251).

[61] Some Characteristics of Functions and their Applications in Spline and Rational Approximations. Approximation Theory of Functions (Proc. Intern. Conf., Kaluga, 1975, eds. S. B. Stechkin, S. A. Telyakovskii) Nauka, Moscow, 1977, 286– 293 (Russian).

1978

[62] Steckin's Type Theorems for Onesided Trigonometrical and Spline Approximation (with A. Andreev). *C. R. Acad. bulg. Sci.*, **31** (1978) 151–154.

[63] Numerical Methods (with Bl. Sendov). Vol. II, Nauka i Izkustvo, Sofia, 1978, (Bulgarian).

[64] Direct and Converse Theorems for Onesided Approximation. Linear Spaces and Approximation (Proc. Conf., Oberwolfach, 1977, eds. P. L. Butzer, B. Sz.-Nagy) **ISNM 40**, Birkhauser, Basel, 1978, 449–458.

[65] Uniform Approximation of Functions with Derivatives of Bounded Variation and its Applications. Colloquia Mathematica Societatis Janos Bolyai, **19**. Fourier Analysis and Approximation Theory (Proc. Coloq. Budapest, Hungary, 1976, eds. G. Alexits, P. Turan) North-Holland, Amsterdam, 1978, 639–647.

1979

[66] Jackson's Type Theorems for the Best One-sided Approximations by Trigonometric Polynomials and Splines (with A. Andreev, Bl. Sendov). *Mat. Zametki*, **26** (1979) 791–804 (Russian).

[67] A Note on the One-sided Approximation of Functions. *C. R. Acad. bulg. Sci.*, **32** (1979) 1319–1322 (Russian).

[68] Some Estimates for a Numerical Solution of a Boundary Problem for Ordinary Differential Equations of a Second Order (with A. Andreev, Bl. Sendov). *C. R. Acad. bulg. Sci.*, **32** (1979) 1023–1026.

1980

[69] On the One-Sided Approximation of Functions. Constructive Function Theory'77 (Proc. Intern. Conf., Blagoevgrad, 1977), Publ. House Bulg. Acad. Sci., 1980, 465–468.

[70] Approximation of Functions by means of Linear Summation Operators in L_p (with A. Andreev). Colloquia Math. Societatis Janos Bolyai, **35**. Functions, Series, Operators, (Proc. Intern. Conf., Budapest, Hungary, 1980) North-Holland, Amsterdam, 1980, 127–150.

[71] On the Connection between Rational Uniform Approximation and Polynomial L_p Approximation of Functions. Quantitative Approximation (Proc. Intern. Sympos., Bonn, 1979) Academic Press, New York, 1980, 267–277.

[72] A Generalization of Timan's Theorem for Approximation of Functions by Algebraic Polynomials (with D. Dimitrov). *Serdica*, **6** (1980) 9–15.

1981

[73] Some Questions for the Error Estimation of the Numerical Methods for Solution of the Differential Equations. Variation–Difference Methods in Mathematical Physics (Proc. Soviet Math. Conf., Novosibirsk) 1981, 105–112 (Russian).

[74] Averaged Local Moduli and their Applications. Approximation and Function Spaces (Proc. Intern. Conf., Gdansk, 1979, ed. Z. Ciesielski) North-Holland, Amsterdam, 1981, 572–583.

[75] Error Estimate of the Numerical Solution of Ordinary Differential Equations (with A. Andreev, Bl. Sendov). *Zh. Vychisl. Mat. Mat. Fiz.*, **21** (1981) 635–650 (Russian).

1982

[76] On The Quantitative Korovkin Theorems in L_p. *C. R. Acad. bulg. Sci.*, **35** (1982) 897–900.

[77] Onesided Approximation of Periodic Functions of Several Variables. *C. R. Acad. bulg. Sci.*, **35** (1982) 1639–1642.

1983

[78] Averaged Noduli of Smoothness (with Bl. Sendov). Publishing House of the Bulg. Acad. of Sci., Sofia, 1983 (Bulgarian). (Russian translation – Mir, Moscow, 1988; English translation – John Wiley & Sons, Chichester, 1988).

[79] Average Moduli and their Function Spaces. Constructive Function Theory'81 (Proc. Intern. Conf., Varna, 1981) Publ. House Bulg. Acad. Sci. Sofia, 1983, 482–487.

[80] On the One-Sided Approximation of Multivariate Functions. Approximation Theory IV (Proc. Conf., College Station, Texas, 1983, eds. C. K. Chui, L. L. Schumaker, J. D. Ward) Academic Press, New York, 1983, 657–661.

[81] Averaged Moduli of Smoothness for Functions of Several Variables and the Function Spaces Generated by them (with V. Hristov). Proc. Steklov Inst. Math., **164** (1983) 136–141 (Russian) (English translation – **2** (1985) 155–160).

[82] Function Spaces, Generated by the Averaged Moduli of Smoothness. *Pliska*, **5** (1983) 132–143.

[83] On the Error of Numerical Solution of the Parabolic Equation in Network Norms (with L. Dechevski). *C. R. Acad. bulg. Sci.*, **36** (1983) 429–432.

1984

[84] The One-Sided K-Functional and its Interpolation Spaces. Proc. Steklov Inst. Math., **163** (1984) 196–199 (Russian) (English translation – **4** (1985) 229–232).

[85] On the Convergence and Saturation of Jackson Polynomials in L_p Spaces (with J. Szabados). *Approximation Theory and its Applications*, **1** (1984) 1–10.

[86] One Diagonal Interpolation Theorem and Its Application. Constructive Theory of Functions'84 (Proc. Intern. Conf., Varna, 1984) Publ. House Bulg. Acad. Sci., Sofia, 1984, 690–698.

[87] On the Error Estimation in Numerical Methods (with A. Andreev). Computational Mathematics, Banach Center Publications, **13**, PWN – Polish Scientific Publishers, Warsaw, 1984, 647–658.

[88] Iteration Methods for the Evaluation of All Multiple Roots of an Algebraic Equation (with N. Kyurkchiev, A. Andreev). *Annuaire de l'Universite de Sofia, Fac. des Mathematiques and Mechanique*, **78** (1984) 178–185 (Russian).

1986

[89] Gibb's Phenomena for Spline–Interpolation and for Numerical Solution of Integral Equations by the Spline–Collocation Method (with A. S. Andreev, E. P. Zhidkov). *Serdica*, **12** (1986) 315–320 (Russian).

[90] Contributions of Geza Freud to the Theory of Rational Approximation of Functions. *Journal of Approximation Theory*, **46** (1986) 111–118.

1987

[91] One-Sided K-Functional – Multivariate Case. Theory of Approximation of Functions (Proc. Intern. Conf., Kiev, 1983, eds. N. P. Korneychuk, S. B. Stechkin, S. A. Telyakovskii) Nauka, Moscow, 1987, 358–362 (Russian).

[92] Free Multivariate Splines (with R. DeVore). *Constructive Approximation*, **3** (1987) 239–248.

[93] On The Inequalities of Berry–Esseen and V. M. Zolotarev. Stability Problems for Stochastic Models (Proc. Intern. Seminar, Varna, 1985, eds. V. V. Kalashnikov, B. Penkov, V. M. Zolotarev) Lecture Notes in Mathematics, **1233**, Springer, Berlin, 1987, 114–125.

1988

[94] Interpolation Spaces and Non-linear Approximation (with R. DeVore). Function Spaces and Applications (Proc. US–Swedish Seminar, Lund, Sweden, 1986, eds. M. Cwikel, J. Peetre, Y. Sagher, H. Wallin) Lecture Notes in Math., **1302**, Springer, Berlin, 1988, 191–205.

[95] Onesided Trigonometrical Approximation of Periodic Multivariate Functions (with L. Alexandrov). *Mathematica Balkanica* (new series), **2** (1988) 230–243.

[96] Interpolation of Besov Spaces (with R. DeVore). *Trans. Amer. Math. Soc.*, **305** (1988) 397–414.

[97] Rational Approximation of Real Functions (with P. Petrushev). Encyclopedia of Mathematics and its Applications, **28**, Cambridge University Press, Cambridge, 1988.

[98] Interpolation of Approximation Spaces (with R. DeVore). Constructive theory of functions'87 (Proc. Intern. Conf., Varna, 1987) Publ. House Bulg. Acad. Sci., Sofia, 1988, 110–119.

1989

[99] Direct and Converse Theorems for Numerical Methods (with V. L. Makarov). *C. R. Acad. bulg. Sci.*, **42** (1989) 33–36.

[100] Nonlinear Multivariate Approximation. Approximation Theory VI, vol. 2 (Proc. Intern. Symposium, Texas, 1989, eds. C. K. Chui, L. L. Schumaker, J. D. Ward), Academic Press, Boston, 1989, 519–536.

1992

[101] Compression of Wavelet Decompositions (with R. DeVore, B. Jawerth) *Amer. J. Math.*, **114** (1992) 737–785.

[102] Approximation with Convex Rational Functions (with B. Gao, D. J. Newman). Approximation theory VII (Austin, TX, 1992), Academic Press, Boston, MA, 1993, 87–91.

1995

[103] Convex Approximation by Rational Functions (with B. Gao, D. J. Newman). *SIAM J. Math. Anal.*, **26** (1995) 2, 488–499.